

## II. CLAIM AMENDMENTS

1. (Currently Amended) An electronic device, which comprises a display element to display information, wherein

said display element has two modes, a full-screen mode to use the entire display element to display a first information and a partial screen mode to use a first part of the display element in which partial screen mode a second part of the display element is switched off; and the device comprises:

means for switching the device into energy conservation mode by switching the display element to said partial screen mode;

means for controlling the display element during energy conservation mode to display information on said first part; and

changing means for changing the position of the first part of the display element on the display element at set intervals during energy conservation mode in order to avoid display burn-in.

2. (Previously Presented) A device according to claim 1, wherein said first part comprises an amount of image particles, and the power consumption of the display element corresponds to the amount of said image particles.

3. (Previously Presented) A device according to claim 1, wherein the changing means is arranged to change the position of the first part in a certain order in certain intervals.

4. (Previously Presented) A device according to claim 1, wherein the changing means is arranged to randomly change the position of said first part.

5. (Previously Presented) A device according to claim 1, wherein the changing means is arranged to change the position of said first part by scrolling the position on the display element.

6. (Previously Presented) A device according to claim 1, wherein said first part comprises a certain amount of rows.

7. (Previously Presented) A device according to claim 1, wherein said first part comprises a certain amount of columns.

8. (Cancelled)

9. (Previously Presented) A device according to claim 1, which device comprises means for ending the energy conserving mode in response to one of the following events: user input, incoming call, an increase in displayed information and a combination of these.

10. (Original) A device according to claim 1, which device is a mobile station.

11. (Currently Amended) A method for decreasing the energy consumption of an electronic device, wherein

a first part of the display element is used and a second part of the display element is switched off to conserve energy;

information is presented on the first part of the display element; and

the method further includes changing the position of the first part of the display element on the display element at set intervals during energy conservation mode in order to avoid display burn-in.

12. (Previously Presented) A device according to claim 1, wherein the changing means is arranged to change information displayed on the first part of the display element.

13. (Currently Amended) An electronic device comprising:

a display element to display information, wherein said display element has two modes, a full-screen mode to use the entire display element to display a first information and a partial screen mode to use a first part of the display element in which partial screen mode a second part of the display element is switched off;

means for switching the device into energy conservation mode by switching the display element to said partial screen mode;

means for controlling the display element during energy conservation mode to display information on said first part; and

changing means for changing information displayed on the first part of the display element at set intervals during energy conservation mode in order to avoid display burn-in.

14. (Previously Presented) A device according to claim 13, wherein the changing is arranged to change the position of the first part of the display element on the display element.

15. (Currently Amended) A method for decreasing the energy consumption of an electronic device, wherein

a first part of the display element is used and a second part of the display element is switched off to conserve energy:

information is presented on the first part of the display element; and

the method further includes changing information displayed on the first part of the display element at set intervals during energy conservation mode in order to avoid display burn-in.

16. (Previously Presented) A method according to claim 15, further comprising changing the position of the first part of the display element on the display element.